



- ★ *Environmental friendly*
- ★ *Greenest unit*
- ★ *Solvent recovery*
- ★ *High throughput*

MVP Series

Fully Automatic Parallel Vacuum Concentrator

Your Lab Our Tech

LabTech Group

LabTech (Stock Code: 688056.SH) was established in 2002 as a global technology company, structured around integrated functions including R&D, manufacturing, sales, and customer support. We are committed to the development of innovative scientific instruments and equipment, serving a broad range of fields such as environmental monitoring, food safety, pharmaceuticals, disease control, and materials research. By providing practical, reliable laboratory solutions, LabTech has become a trusted one-stop partner for customers across diverse scientific disciplines and industries.

LabTech currently holds more than 100 patents and software copyrights. We are a certified High-Tech Enterprise and have been consistently recognized as one of the “Most Influential Enterprises” in China’s instrumentation industry. LabTech is a leading global supplier specializing in the integration of multi-type, multi-functional sample preparation technologies and analytical systems into fully automated laboratory platforms.

We own multiple brands including **LabTech**, **CDS Analytical**, and **Empore™**, with R&D and production centers located in both China and the United States. Our sales and service networks span Massachusetts and Pennsylvania in the U.S., Hong Kong, and major cities across China. Our comprehensive product portfolio includes analytical instruments, sample preparation systems, general laboratory equipment, medical devices, consumables, and laboratory engineering services— all designed to support customers with a true one-stop solution. To date, LabTech products have been delivered to over 100 countries and are trusted by nearly 30,000 customers worldwide.



MVP Series Automatic Parallel Vacuum Concentrator

MVP vacuum concentrator is widely used for the preparation of environmental samples, natural products, food and agricultural product samples, and heat-sensitive products. It achieves high-throughput automatic evaporation of liquid samples through vacuum, heating, and rotation. It improves work efficiency and sample recovery, reduces human errors, and enhances the accuracy of analysis. Special solvent recovery design makes the unit greenest and protects the laboratory environment and the operator health.



Application



Food

Pesticide residues and additives in food (such as grain, etc.)



Herbal Medicine

Determination of pesticide residues and mycotoxins in traditional Chinese medicine



Environment

SVOC pollutants in soil, solid waste and atmospheric samples, such as organochlorine residues, polycyclic aromatic hydrocarbons, polychlorinated biphenyls, dioxins, etc.



Agriculture Products

Pesticide residues in crops (such as tea, etc.), oil in seeds, etc.

Flex-MVP Automatic Parallel Vacuum Concentrator

Flexible and free access at any time

Super batch processing capability

16 sample positions and being compatible with 300ml, 50ml and other different sizes of sample tubes



Flexible and free access at any time

Integral & independent sealing 2-in-1 design, no needs to pause the instrument or pressure relief for all samples, single sample can be added and removed at any time, without affecting the concentration process of other samples.

Fully surrounded heating with high evaporation efficiency

The whole sample vial is fully immersed and heated in the water bath, which is not exposed in the air, and improves the evaporation efficiency.



MVP Application

- Determination of organochlorine pesticide multi-component residues in food
- Determination of 486 pesticide and related chemical residues in grain by LC-MS/MS
- Food Safety -- Determination of residues of 208 pesticides and their metabolites in food of plant origin by GC-MS
- Determination of pesticide residues in tea by GC-MS
- Determination of polychlorinated biphenyls in soil and sediment by GC-MS
- Determination of SVOCs in Soil and Sediment by Mass spectrometry
- Determination of polycyclic aromatic hydrocarbons in soil and sediment by GC-MS
- Chinese Pharmacopoeia 2020: 2341 pesticide residue determination and 2351 mycotoxin determination method

Safe and Simple Operation

Flip-top design for the evaporation cover. It features a convenient snap-lock safety lock design, without disassembly for sealing and opening of the cover.



Independent pipeline to prevent cross-contamination.


Each sample vessel is sealed and discharged independently through its own pipeline, avoiding liquid transfer issues caused by sample boiling, preventing cross-contamination and refluxing.

User friendly touch screen control

The instrument is designed with a 10-inch touch screen terminal computer control system. The software allows real-time adjustment of temperature, vacuum level, and rotation speed. It supports time programming, displays gradient curves graphically, and shows dynamic changes in various parameters.

Dual recovery of solvent vapor and exhaust gas

The condensation recovery module features a dual-condenser tower design, enabling dual recovery of solvent vapor and exhaust gas, ensuring comprehensive environmental friendliness.



MVP Series Automatic Parallel Vacuum Concentrator



Flex-MVP



MVP 48



MVP 12

Configuration/Model	Flex-MVP	MVP 48	MVP 12
Sample Position	16	48	12
Sample Volume	200ml Concentration Cup	60ml vial & 50ml centrifuge tube	900ml Concentration Cup
Individual sample adding/removing	√		
Batch sample adding/removing	√	√	√

Overall Solution

Sample Extraction



HPSE-4
High Pressure Solvent Extractor

Sample Cleanup



SPE1000
Automatic Solid-Phase Extractor

Sample Concentration



Flex-MVP
Automatic Parallel Vacuum Concentrator

MVP12 Automatic Parallel Vacuum Concentrator

Edge tool of grease concentration for detecting food acid value and peroxide value.

Technical Features

- Large volume and high throughput: Up to 12 samples with max. 900ml of each can be concentrated simultaneously.
- High efficiency: Fully surrounded water bath heating with higher evaporation efficiency.
- High solvent recovery : Solvent recovery rate of 500ml petroleum ether is more than 85%
- Easy operation: Safety lock design enables fast open/close of the cover, more convenient and safer.
- Avoiding cross contamination: Independent pipeline design avoids liquid transfer issues caused by sample boiling, preventing cross-contamination.



Cooling Solution

LabTech Water Recirculating Chiller

LabTech offers a complete line of water recirculating chillers to meet all laboratory needs.

Combining operational excellence and technology expertise with an intimate understanding of customers' needs, LabTech state-of-the-art water chillers ensure accurate and constant cooling conditions of instruments even under tough Laboratory conditions.



LabTech, Inc.

Address: 114 South Street, Hopkinton, MA 01748, U.S.A.
Tel: +1 508 435 5500 Fax: +1 508 435 5595

CDS Analytical

Address: 465 Limestone Road, Oxford, PA 19363, U.S.A.
Tel: +1 800 541 6593 International: +1 610 932 3636

Beijing LabTech Instruments Co., Ltd.

Address: No.6 Anqing Street, Area B, Tianzhu Airport Industrial Park, Shunyi District, Beijing, 101300 P. R. China
Tel: +86 10 80486450 Fax: +86 10 80486354

LabTech Hong Kong Ltd.

Address: Unit D, 22/F, YHC Tower, 1 Sheung Yuet Road, Kowloon Bay, Hong Kong, China
Tel: +852 2759 8199 Fax: +852 2331 8536

LabTech S.R.L

Address: Via fatebenefratelli, 1/5-24010, Sorisole (BG), Italy
Tel: +39 035 576614 Fax: +39 035 4729414



Empore™



www.labtechworld.com

Email: info@labtechworld.com

★ This brochure is for reference only and is subject to change without prior notice.

LabTech-2508-0.1